




<p><b>TEST REPORT</b>  <b>IEC 60335-9</b>  <b>Safety of household and similar electrical appliances</b>  <b>Part 2: Particular requirements for grills, toasters and similar cooking appliances</b></p>	
Report Number .....	140300061HZH-001
Date of issue .....	2014-04-23;Amendment 2:2014-06-18
Total number of pages.....	8 pages of test report
Applicant's name.....	NINGBO LONGLEAD ELECTRIC APPLIANCES CO.,LTD
Address .....	NO.69,QIYEDONG ROAD, ZHOUXIANG TOWN,CIXI,NINGBO, China
<b>Test specification:</b>	
Standard .....	IEC 60335-2-9:2002 (Fifth edition) + A1:2004 + A2:2006 in conjunction with IEC 60335-1:2010 (Fifth Edition)  EN 60335-2-9:2003+A1:04+A2:06+A12:07+A13:10+AC:11+EK1-AG2:2014-04 in conjunction with EN 60335-1:2012 and EN 62233:2008
Test procedure .....	--
Non-standard test method.....	EK1-AG2:2014-04
Test Report Form No.....	IEC60335_2_9J
Test Report Form(s) Originator.....	LCIE
Master TRF.....	Dated 2013-11
<p><b>Copyright © 2013 Worldwide System for Conformity Testing and Certification of Electrotechnical Equipment and Components (IECEE), Geneva, Switzerland. All rights reserved.</b></p> <p>This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.</p> <p>If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.</p>	
Test item description .....	Grill for Household use
Trade Mark .....	--
Manufacturer.....	Same as applicant
Model/Type reference .....	LD-600, LD-601, LD-601A, LD-602, LD-602A, LD-603, LD-603A, LD-604, LD-604A, LD-605, LD-606
Ratings .....	220-240V~,50Hz, Class I for all models  LD-600:1500W  LD-601, LD-601A, LD-602, LD-602A, LD-605, LD-606:2000W  LD-603, LD-603A, LD-604, LD-604A:1800W

<b>Testing procedure and testing location:</b>		
<input checked="" type="checkbox"/>	<b>Testing Laboratory:</b>	Intertek Testing Services Hangzhou Ltd.
<b>Testing location/ address .....</b> :		16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China
<input type="checkbox"/>	<b>Associated CB Testing Laboratory:</b>	
<b>Testing location/ address .....</b> :		N/A
<b>Tested by (name + signature) .....</b> :		Paul Tang 
<b>Approved by (name + signature) .....</b> :		Jason Yang 
<input type="checkbox"/>	<b>Testing procedure: TMP</b>	
<b>Testing location/ address .....</b> :		N/A
<b>Tested by (name + signature) .....</b> :		N/A
<b>Approved by (name + signature) .....</b> :		N/A
<input type="checkbox"/>	<b>Testing procedure: WMT</b>	
<b>Testing location/ address .....</b> :		N/A
<b>Tested by (name + signature) .....</b> :		N/A
<b>Witnessed by (name + signature)....</b> :		N/A
<b>Approved by (name + signature) .....</b> :		N/A
<input type="checkbox"/>	<b>Testing procedure: SMT</b>	
<b>Testing location/ address .....</b> :		N/A
<b>Tested by (name + signature) .....</b> :		N/A
<b>Approved by (name + signature) .....</b> :		N/A
<b>Supervised by (name + signature) ..</b> :		N/A

<p><b>List of Attachments (including a total number of pages in each attachment):</b>  <b>Appendix: Constructional data form (CDF)</b></p>	
<p><b>Summary of testing:</b> From the result of our inspection and tests on the submitted samples, we conclude that they <b>comply</b> with the requirements of the standards.</p>	
<p><b>Tests performed (name of test and test clause):</b> None</p>	<p><b>Testing location:</b> 16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China</p>
<p><b>Summary of compliance with National Differences</b>  <b>List of countries addressed:</b></p> <p><b>National differences for Germany has been checked</b>  <input checked="" type="checkbox"/> The product fulfils the requirements of EN 60335-2-9:2003+A1:04+A2:06+A12:07+A13:10+AC:11 +EK1-AG2:2014-04 in conjunction with EN 60335-1:2012 and EN 62233:2008</p>	

**Copy of marking plate**

**( Representative )**



<b>Test item particulars</b> .....	
<b>Classification of installation and use</b> .....	<b>Portable appliance for household indoor use only</b>
<b>Supply Connection</b> .....	<b>Type Y</b>
.....	
<b>Possible test case verdicts:</b>	
- test case does not apply to the test object .....	N/A
- test object does meet the requirement .....	P (Pass)
- test object does not meet the requirement.....	F (Fail)
<b>Testing</b> .....	
<b>Date of receipt of test item</b> .....	N/A
<b>Date (s) of performance of tests</b> .....	N/A
<b>General remarks:</b>	
<p>The test results presented in this report relate only to the object tested.  This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.  "(See Enclosure #)" refers to additional information appended to the report.  "(See appended table)" refers to a table appended to the report.  PAH test according to ZEK 01.4-08 is considered and passed, please refer to PAH test report 140300061HZH-PAH1 for detail</p> <p>This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.</p>	
<p>Throughout this report a <input checked="" type="checkbox"/> comma / <input type="checkbox"/> point is used as the decimal separator.</p>	
<b>Manufacturer's Declaration per sub-clause 4.2.5 of IEC60335-1:</b>	
The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided .....	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> Not applicable
<b>When differences exist; they shall be identified in the General product information section.</b>	
<b>Name and address of factory (ies)</b> .....	NINGBO LONGLEAD ELECTRIC APPLIANCES CO.,LTD  NO.69,QIYEDONG ROAD, ZHOUXIANG TOWN,CIXI,NINGBO, China

**General product information:**

The appliances covered by this report are grills for household indoor use. Thermostat and thermal link are incorporated in the appliance for safety purpose.

Model similarity:

- 1.All models have similar construction,the main difference among them are the shape and size of heating plate,heating element,material of handle and rated power input;
- 2.The only difference between LD-601 and LD-601A is that LD-601 has metal handle while LD-601A's is bakelite,so do LD-602 and LD-602A, LD-603 and LD-603A, LD-604 and LD-604A;
- 3.All models except LD-600 have oil container;
- 4.All models have two optional coatings:Teflon coating or ceramic coating.

LD-600, LD-603, LD-605 are selected for all the tests,other models are also tested if mentioned.

There are three types of connector used for all models(Jinze CTW-300, Zhaotai CTW-300A, Zhaotai CTW-300),all three types of connector are tested,only the most unfavourable test data recorded.

**Amendment 2**

The original test report ref. No. 140300061HZH-001 dated on 2014-04-23 and its amendment 1 dated on 2014-05-26 was modified on 2014-06-18 to include the following addition:

1.Add alternative internal wire;

.2.Add cross-sectional area 1, 0mm<sup>2</sup> of internal wire.

After review,no tests need to be done.

Clause concerned:Cl.23.5

Table concerned:Table 24.1

IEC 60335-9			
Clause	Requirement + Test	Result - Remark	Verdict
23	INTERNAL WIRING		
23.5	The insulation of internal wiring subjected to the supply mains voltage withstanding the electrical stress likely to occur in normal use		P
	Basic insulation electrically equivalent to the basic insulation of cords complying with IEC 60227 or IEC 60245, or		P
	no breakdown when a voltage of 2000 V is applied for 15 min between the conductor and metal foil wrapped around the insulation		P

IEC 60335-9			
Clause	Requirement + Test	Result - Remark	Verdict

24.1	TABLE: Components					P
Object / part No.	Manufacturer/ trademark	Type / model	Technical data	Standard	Mark(s) of conformity	
Internal wire (inside connector)	Jiangyin qingyang rubber & plastic products factory	H05SJ-K H05S-K	1x0, 5mm <sup>2</sup> only for lamp 1x0, 75mm <sup>2</sup> or 1x1, 0mm <sup>2</sup> for the other parts, T180	EN50525-2-41	VDE*/40015 714	
-alternative	Cixi FuHai Ji Teng Electric Fiting Factory	H05SJ-K H05S-K	1x0, 5mm <sup>2</sup> only for lamp 1x0, 75mm <sup>2</sup> or 1x1, 0mm <sup>2</sup> for the other parts, T180	EN50525-2-41	VDE*/40016 339	