



PRODUCT DATA

Rated voltage	:	220-240V~	--
Rated current / power	:	700W	--
Rated frequency	:	50/60Hz	--
Degree of protection	:	IP20	--
Accessories provided	:	Yes	--
Class	:	II	--
Others	:	Rated operation: continuous Cord attachment type: Type Y Supply connection: non detachable flexible cable with plug	--

RATING LABEL & WARNING LABEL





**LIST OF COMPONENTS**

Object/part No.	Manufacturer/trademark	Type/model	Technical data	Mark(s) of conformity	Component Verification
Power Plug	Not identified	ZJ-02	16 A, 250 V~	VDE	Pass
Power Cord	Yuyao Zhongjian	H05VVH2-F	2 x 0,75 mm <sup>2</sup>	VDE	Pass
Internal wire	HUIERNA	1015	600 V, 105 °C, 18AWG	UL (E354214)	Pass
Switch	TONGDE	KAN-J4	250 V~, 8(8)A, T85	TUV/SUD	Pass
X2 Capacitor	AID	MEX	0,22uF, 275V~, X2, 40/085/21/C	VDE	Pass
Lead wire of motor	HUIERNA	1015	600 V, 105 °C, 18AWG	UL (E354214)	Pass
Motor	Not identified	HJN-D-70-1	220-240V~, 50/60 Hz, 700W Class 120, Stator: 1.928Ω; 2.001Ω (aluminum winding) Rotor (diagonal): 3.988Ω. Tested at: 22°C	Test with appliance	Pass
Remarks: Winding resistance of motor was found in TUV/Rh LVD Report (Report No.: 14714945 019), see as below: Stator: 2,008Ω aluminum winding; Rotor: 4,021Ω (diagonal) test at 23,1 °C					

**RESULTS**

CLAUSES	CONTENTS	PASS	FAIL	REMARK	N/A
7	Markings and instructions	X			
8	Protection against access to live parts	X			
16.3	Electric strength	X			
20	Stability and mechanical hazards	X			
21	Mechanical strength	X			
22	Construction	X			
23	Internal wiring	X			
24	Components	X			
25	Supply connection and external flexible cords	X			
26	Terminals for external conductors	X			
27	Provision for earthing	X			
28	Screws and connections	X			
29	Creepage distances, clearances and distances through insulation	X			

(Note: This construction review only refers to a construction analysis without any power on test and limited use of tool and equipments.)

**ANNEX 1**

**EN 60335-1 and EN 60335-2-2 v1.0**

CLAUSES	clauses which are not covered by this construction check
8	Clause 8.1.4
20	Clause .20.Z101
21	Clause 21.2 clause 21.101-21.105 clause 21.Z101
22	1.clause 22.3 2. clause 22.5 3.clause 22.6, 4.clause 22.7 5. clause 22.16 6. Clause 22.18 7.clause 22.32 8. clause 22.42 9. clause 22.47 10. clause 22.48
23	clause 23.3
24	Clause 24.5 Clause 24.6
25	Clause 25.14
27	Clause 27.5

**Note:**

**use simple tools for construction as below: Test probe, impact hammer, torque screw driver, pull and push tester less than 100 N, caliper and hi-pot tester**

**RESULTS DESCRIPTION**

**Clause 7 - Markings and instructions**

<i>Description of the Remark</i>	<i>Picture of the remark</i>
Nil	

<i>Note: Description of the Remark</i>	<i>Picture of the remark</i>
The sample size was 5pcs but the construction check was performed on the first sample and the rest 4pcs for comparison check against the first sample.	

**Please note that every statement made in this report is only valid for the samples tested and reported herein.**

Trusting to have informed you sufficiently, we remain,  
With best regards

DEKRA Testing and Certification (Shanghai) Ltd. Shenzhen Branch

**Engineer name** : Ernest Yao  
**Reviewed by** : Gavin hu

**Engineer signature** : Ernest Yao  
**Reviewer signature** : Gavin hu

**ANNEX**

Item: TAS-759



1. Gift box




2.Product and accessories



3.Manuals and leaflet



4.Floor brush



<p>5. Floor brush</p>  <p>2022/5/9</p>	<p>6. Logo on floor brush</p>  <p>2022/5/9</p>
<p>7. 2 in 1 nozzle</p>  <p>2022/5/9</p>	<p>8. Tubes</p>  <p>2022/5/9</p>
<p>9. Flexible hose</p>  <p>2022/5/9</p>	<p>10. Air flow control on handle</p>  <p>2022/5/9</p>
<p>11. Connector on flexible hose</p>  <p>2022/5/9</p>	<p>12. Plastic protection part on product</p>  <p>2022/5/9</p>



13. Plastic protection part detached



14. Product view



15. Product view



16. Product view



17. Product view



18. Product view



19.Product view



20.Product view



21. Assembly product



22. Assembly product



23.Switch



24.Cord rewinding button



25. Rating label



26. Product without dust container



27. Dust container



28. Logo on dust container



29. Max level on dust container



30. Dust container detached part



31.Plug



32.Power cord



33.Air outlet



34. Air outlet



35. Air outlet




36. Internal view



37. Internal view



38. Internal view



39. Internal view









40. Internal view



41. Internal view



42. Internal view

 <p>2022/5/9</p>	 <p>2022/5/9</p>
<p>43. Motor</p>	<p>44. Label on motor</p>
 <p>2022/5/9</p>	 <p>2022/5/9</p>
<p>45. Rotor and stator</p>	<p>46. Switch</p>
 <p>2022/5/9</p>	 <p>2022/5/9</p>
<p>47. Capacitor</p>	<p>48. Internal wire</p>
<p>Item: TAS-755</p>	



49. Gift box



50. Product and accessories




51. Manuals and leaflet



52. Floor brush



53. Floor brush



54. Logo on floor brush



55. 2 in 1 nozzle



56. Tubes



57. Flexible hose



58. Air flow control on handle



59. Connector on flexible hose



60. Plastic protection part on product



61. Plastic protection part detached



62. Product view



63. Product view



64. Product view



65. Product view



66. Product view



67.Product view



68.Product view



69. Assembly product



70. Assembly product



71.Switch



72.Cord rewinding button



73. Rating label



74. Product without dust container



75. Dust container



76. Logo on dust container



77. Max level on dust container



78. Dust container detached part



79.Plug



80.Power cord



81.Air outlet



82. Air outlet



83. Air outlet



84. Internal view



85.Internal view



86.Internal view

--- END OF REPORT---